


20 mm

paving collections




peronda

peronda

passion for detail

EXTRAORDINARY RESISTANCE

20 MM



LO MÁS ROBUSTO DE PERONDA

La última tecnología en producción cerámica se materializa en 20 mm, el porcelánico de mayor espesor con todos los beneficios de 4D Tech en el producto más robusto de Peronda.

MAYOR ESPESOR SIN COSTILLA

Somos pioneros en producir piezas de este espesor con prensa continua. Además de todas las características de un producto 4D, 20 mm permite la ausencia de costilla en la pieza.

RESISTENCIA EXTRAORDINARIA

La base plana del 20 mm ofrece un total contacto con la superficie de soporte. Sobre plots u otro material, el resultado es más resistente, pues toda la pieza absorbe el impacto

PERONDA'S MOST ROBUST


The latest technology in ceramic production becomes a reality in 20 mm. The thickest porcelain with all the benefits of 4D Tech in Peronda's most robust product.

THICKER WITHOUT RIBBING

We are pioneers in producing pieces of this thickness with continuous press. Besides all the features of a 4D product, 20 mm allows for the lack of ribbing.

EXTRAORDINARY RESISTANCE

The flat base of 20 mm offers complete contact with the supporting area. Be it on plots or any other material, it is more resistant since the whole piece absorbs the impact.





20 mm *thickness*

Nuestra innovadora tecnología 4D alcanza el espesor de 20 mm, para proporcionarnos superficies de extraordinaria resistencia tanto para ámbito residencial como comercial.

Es un sistema adaptable a diversas superficies de exterior, según si se instala sobre césped, arena, grava, plots o con sistema tradicional de sellado.

Se recomienda el sistema tradicional de sellado porcelánico en zonas de tránsito peatonal medio-alto o bien en superficies de acceso con vehículos.

Our innovative 4D TECH reaches a 20 mm thickness, to provide us with surfaces of extraordinary resistance for both residential and commercial areas.

It is a system adaptable to various outdoor surfaces, depending on whether it is installed on grass, sand, gravel, plots or with a traditional sealing system.

The traditional porcelain sealing system is recommended in areas with medium-high pedestrian traffic or on surfaces or access ramps with vehicles.

advantages

Resistente a la rotura		Breake resistant
Resistente a climas extremos		Extreme weather resistant
Resistente a rayaduras		Scratch resistant
Resistente a químicos y ácidos		Chemicals and acids
Fácil instalación, no necesita sellado		Easy installation, no sealing needed
Colocación rápida		Fast installation
Fácil sustitución		Easy replacement
Estabilidad cromática		Chromatic stability
Menor coste de mantenimiento		Lower maintenance cost
Reciclado y reciclable		Recycled and recyclable



COLECCIÓN	COLLECTION
Cluny	

Tipología producto
Product typology

piedra | stone effect


Material
Material

porcelánico | porcelain tile

Acabado
Finish

antislip (A)

Formatos
Sizes



100x100 cm
39.4x39.4 "



50x100 cm
19.7x39.4 "

Precio
Price

BN145

BN147

Colores
Colours

White	Silver	Beige	Sand

Referencia
Reference


100x100	36347	36349	36348	36350
50x100	36905	36904	36902	36903

Características técnicas
Technical characteristics

DIN 51130	DIN 51097	UNE 41901 EX	BS 7976-2	ANSI A137.1	UPEC
R11	A+B+C	C3	+36WET	>0,42	-

Cluny

WHITE



Cluny

SILVER



Cluny

BEIGE



Cluny

SAND






FLOOR CLUNY SAND 100X100X2/A/R



WALL CLUNY WHITE SP 100X275/R **FLOOR** CLUNY WHITE 100X100X2/A/R



COLECCIÓN	COLLECTION
<h1>Ghent</h1>	

Tipología producto
Product typology

piedra | stone effect


Material
Material

porcelánico | porcelain tile

Acabado
Finish

antislip (A)

Formatos
Sizes



100x100 cm
39.4x39.4 "



50x100 cm
19.7x39.4 "

Precio
Price

BN145

BN147

Colores
Colours

White	Beige	Silver	Grey

Referencia
Reference


100x100	34732	34878	34733	34734
50x100	35570	35567	35569	35568

Características técnicas
Technical characteristics

DIN 51130	DIN 51097	UNE 41901 EX	BS 7976-2	ANSI A137.1	UPEC
R11	A+B+C	C3	+36WET	>0,42	-

Ghent

WHITE



Ghent

SILVER



Ghent

BEIGE



Ghent

GREY





WALL GHENT BEIGE SP/100X275/R **FLOOR** GHENT BEIGE 100X100X2/A/R & GHENT BEIGE 50X100X2/A/R



WALL GHENT WHITE SP/100X275/R **FLOOR** GHENT WHITE 100X100X2/A/R & GHENT WHITE SP/100X100/R



COLECCIÓN COLLECTION

Manhattan

Tipología producto
Product typology

piedra | stone effect


Material
Material

porcelánico | porcelain tile

Acabado
Finish

antislip (A)

Formatos
Sizes



100x100 cm
39.4x39.4 "



50x100 cm
19.7x39.4 "

Precio
Price

BN145

BN147

Colores
Colours

White	Bone	Silver	Grey

Referencia
Reference

100x100	36332	36333	36335	36334
50x100	36910	36911	36909	36908

Características técnicas
Technical characteristics

DIN 51130	DIN 51097	UNE 41901 EX	BS 7976-2	ANSI A137.1	UPEC
R11	A+B+C	C3	+36WET	>0,42	-

Manhattan

WHITE



Manhattan

SILVER



Manhattan

BONE



Manhattan

GREY





WALL MANHATTAN WHITE SP/100X275/R **FLOOR** MANHATTAN WHITE 100X100X2/A/R

PACKING

Formato Size	Caja Box			Palé Pallet				Contenedor 20' 20' Container (24000 Kg.)		
	CM	UDS.	M ²	KG	CAJAS	M ²	KG	LARGOxALTOxANCHO	Nº PALÉS	M ²
<i>100x100</i>	<i>1</i>	<i>1</i>	<i>49,2</i>	<i>24</i>	<i>24</i>	<i>1223</i>	<i>112 x 112 x 85</i>	<i>19</i>	<i>456</i>	<i>23237</i>
<i>50x100</i>	<i>1</i>	<i>0,5</i>	<i>24,7</i>	<i>48</i>	<i>24</i>	<i>1227</i>	<i>112 x 112 x 85</i>	<i>19</i>	<i>456</i>	<i>23237</i>
INCH	UNITS	FT ²	LB	BOXES	FT ²	IB	LENGTHxHEIGHTxWIDTH	PALLETS No.	FT ²	LB
39 3/8x39 3/8x3/4	1	10,7	108,4	24	258,3	2696	44 1/16x44 1/6x33 7/16	20	4908.3	51229
19 11/16x39 3/8x3/4	1	5,3	54,4	48	258,3	2706	44 1/16x44 1/6x33 7/16	20	4908.3	51229

© PERONDA GROUP 2023

Las baldosas cerámicas una vez que llegan al final de su vida útil son un residuo inerte, que para su correcta gestión debe ser entregado a un gestor autorizado de residuos, favoreciendo su reciclado.

Debido a los procesos de impresión, los colores que aparecen en este catálogo deben considerarse aproximados, y no exactos. Los derechos de todos los contenidos (textos, fotografías, dibujos, diseños etc) del presente catálogo son propiedad de PERONDA GROUP, S.A (o en su defecto, cuentan con los correspondientes permisos y autorizaciones de sus titulares). No está permitida la reproducción total o parcial de esta publicación, ni su tratamiento informático, ni la transmisión de ninguna forma o por cualquier medio, ya sea electrónico, mecánico, por fotocopia, por registro u otros medios, sin el permiso previo y por escrito de los titulares del copyright.

Once ceramic tiles reach the end of their useful life, they are inert waste. For their proper management, they should be given to an authorized waste management body for recycling purposes.

All colours and hues appearing in this catalogue should be considered approximate, only in view of the printing processes involved. The rights of all contents (texts, photographs, drawings, designs, etc.) of this catalogue remain the property of PERONDA GROUP S.A (or, failing that, they have the corresponding permissions of the owners). No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the copyright holders.

peronda.com

peronda

Avda. Manuel Escobedo, 26.
12200 Onda (Castellón) España
t. 964 602 012 / f. 964 600 361